

NEO Series Cordless Phone



Bittel NEO Series cordless phones are loaded with great features (many unique to Bittel) that make them easier for you to maintain, and provide greater guest satisfaction. From full duplex speakerphones, to automated speed dial programming, the industry's best faceplate design and more, your Bittel cordless phones will be a hit in the front and the back of the house.

It also has the upgradable EasyCharge cable. Guest can conveniently connect their Apple legacy(iPhone 4s and older),Apple lightning(iPhone 5 and new iPad),Micro USB and audio 3.5 (for music).

Special Features

FEATURE	DESCRIPTION & BENEFITS
Dual Full Duplex Speakerphones	High quality noise-cancelling speakerphones onboth the base and handset for great convenience.
Battery Hibernation Mode	Batteries are factory-installed, for easier deployment.Phone and batteries “wake up” once placed in powered base. Staff can store charged phones in hibernation mode for ready deployment.
Dynamic Transmit Power	Handset transmit power adapts to the distance between handset and base, helping to extend battery life between charges.
Multiple Remote Handset Support	Base can support up to 4 remote handsets.
Streamlined Power & Line Cord Integration	Power and phone line(s) are combined in one cable that connects to the phone, eliminating tangled cable mess.
Automatic Handset Synchronization	Handsets automatically synchronize with the base simply by placing handset on base and charging.
Power Failure (Lifeline) Mode	In event of power failure, calls can still be made from the base.
Automated Speed Dial Programming	Supports use of Bittel master cloning programmer to quickly and easily program speed dial keys with digital accuracy.
Dimpled Keypad Design	Our unique internal keypad design provides far greater reliability than conventional designs.
Cordless Frequency	2.4GHz
Service Buttons	Base unit up to 10 service buttons,handset up to 3 service buttons

Cordless Handset Range

Up to 300' /100m(may vary due to environment factors)

The Decibel of Base

Sending : 19DB
Receiver: -5~-6DB
Side tone :15DB

The Decibel of Handset

Sending : 18DB
Receiver: -3DB~-15DB
Side tone :22DB

. RF Output Power : 16dBm

Approvals

RoHS, ETL, CCC, CE,FCC Part 15 & Part 68
ISO9001 Quality Control

Dimensions:

193x110x101(mm)
Coiled line: 2.0m Straight line :3.66m

Weight :

1200g /Set

Package(set/carton)

12 Sets/Carton
Carton Size : 49x40x26(cm)

Model

HWD9888TSD Neo cordless phone with curved handset ,Frequency 2.4G Hz

Colors Available

Black

Message Waiting Light

Voltage Standard 90~150V DC, Customized various MWL card compatible with PBX: AVAYA, Siemens, Philips, Alcatel, NEC, Nortel, Mitel, Panasonic, etc.



HWD9888TSD (62S)